

BREMA®

Classic harmony

The BREMA concrete roof tile refers in shape to the monk-nun roof tile known for centuries. Thanks to the use of modern production technology, the historical form has been enriched with numerous construction solutions that provide excellent utility parameters. BREMA is a roof tile whose timeless form emphasizes the timeless beauty of the roof.

Dimensions: 334 x 420 mm

Consumption: from 9.7 pcs/m²

Weight: 4.3 kg/pcs.



Historical shape

Reference to the centuries-old monk-nun roof tile



Proper profiling

Overlaps and smooth edges protect against moss and sediment



Understructure

Increased resistance to wind and snow loads



Durable finish

UV and weather-resistant surfaces



Environmental friendliness

Natural ingredients and minimal energy consumption in production



Comprehensive range of accessories

Aesthetic and durable roof finish

Technical data for BREMA®

External dimensions	334 × 420 mm
Coverage width - min.	300 mm
Coverage width - av.	300 mm
Coverage width - max.	300 mm
Battens distance - min.	310 mm
Battens distance - av.	328 mm
Battens distance - max.	345 mm
Pcs/m ² - min.	9,7 Pcs/m ²
Pcs/m ² - av.	10,2 Pcs/m ²
Pcs/m ² - max.	10,7 Pcs/m ²
Kg/pc	4,3 Kg/pc
Kg/m ²	44 Kg/m ²
Mini pack - pcs	40 Pcs
Mini pack - weight	172 kg
Slope angle	≥ 10 °

Colours



Red



Brown



Dark grey



CREATON Polska sp. z o.o.
ul. Wspólna 6
32-300 Olkusz, Polska
tel. +48 32 624 95 00
centrala@swisspor.pl

All technical changes are reserved. The company is not liable for printing errors or for deviations in color shades, caused by the use of specific printing techniques. The product photos shown in the catalog are for illustrative purposes and may differ from the actual appearance of the products on sale.