

RAPIDO

A roof tile with a legendary shape

RAPIDO is the quintessence of the classic beauty of ceramic roof covering. Its characteristic, symmetrical embossments (mounds) create a fascinating play of light and shadow, which enlivens the body of the building at any time. The historical shape is appreciated for its exceptional aesthetics and functionality. RAPIDO gives the building a noble, sophisticated character.

Dimensions: 325 x 505 mm

Consumption: from 8.1 pcs/m²

Weight: 5.2 kg/pcs.



Timeless elegance

Inspired by the historic Ludowic roof tile



Functional shape

Effective water drainage from the roof



Quick installation

44 mm movement tolerance reduces installation time



Labyrinth locks

Effective barrier against water ingress



Reinforcing ribs

High resistance to weather conditions



Comprehensive range of accessories

Aesthetic and durable roof finish

Technical data for RAPIDO

External dimensions	325 × 505 mm		
Covering width	min. 277 mm	av. 278 mm	max. 280 mm
Batten spacing	min. 410 mm	av. 425 mm	max. 440 mm
Tile requirement	min. 8,1Pcs/m ²	av. 8,4 Pcs/m ²	max. 8,8 Pcs/m ²
Weight	5,2 Kg/pc	43,7Kg/m ²	
Packaging unit - weight	873 kg		
Mini pack - pcs	4 Pcs		
Packaging unit - pcs	168 Pcs		
Slope angle	≥ 10°		
Warranty	up to 50 years* (in accordance with the Warranty Terms and Conditions for swissporTON ceramic roof tiles).		

Colours



Red
Engobe



Copper red
Engobe



Wine red
Engobe



Dark brown
Engobe



Slate grey
Engobe



Black
Engobe



Black matt
Engobe



swisspor Polska sp. z o.o.
ul. Wspólna 6
32-300 Olkusz, Polska
tel. +48 32 624 95 00
kontakt@swisspor.pl

All technical changes are reserved. The company is not liable for printing errors or for deviations in color shades, caused by the use of specific printing techniques. The product photos shown in the catalog are for illustrative purposes and may differ from the actual appearance of the products on sale.